



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS.

UNITED STATES.

[Reports to the Surgeon-General, Public Health and Marine-Hospital Service.]

STATISTICAL REPORTS OF STATES AND CITIES OF THE UNITED STATES, YEARLY AND MONTHLY.

ILLINOIS—*Rockford*.—Month of June, 1906. Estimated population, 40,000. Total number of deaths, 20, including 4 from tuberculosis.

INDIANA—*Evansville*.—Month of June, 1906. Estimated population, 75,000. Total number of deaths, 62, including diphtheria 1, enteric fever 1, whooping cough 1, and 10 from tuberculosis.

IOWA—*Davenport*.—Month of June, 1906. Estimated population, 42,000. Total number of deaths 53, including enteric fever 1, and 7 from tuberculosis.

MINNESOTA—*Minneapolis*.—Month of June, 1906. Census population, 261,974. Total number of deaths 198, including diphtheria 4, enteric fever 7, measles 2, scarlet fever 1, whooping cough 2, and 22 from tuberculosis.

NEW YORK—*Rochester*.—Month of January, 1906. Estimated population, 182,000. Total number of deaths 236, including diphtheria 6, enteric fever 3, measles 1, scarlet fever 3, and 23 from phthisis pulmonalis.

Month of February, 1906. Total number of deaths 238, including diphtheria 14, enteric fever 3, measles 1, scarlet fever 1, whooping cough 1, and 25 from tuberculosis.

Month of March, 1906. Total number of deaths 238, including diphtheria 8, scarlet fever 1, and 24 from phthisis pulmonalis.

Month of April, 1906. Total number of deaths 289, including diphtheria 12, enteric fever 2, scarlet fever 4, and 28 from phthisis pulmonalis.

Month of May, 1906. Total number of deaths 264, including diphtheria 6, enteric fever 1, measles 2, scarlet fever 1, and 34 from tuberculosis.

OHIO—*Columbus*.—Month of June, 1906. Census population, 125,560. Total number of deaths 153, including diphtheria 1, enteric fever 3, measles 2, scarlet fever 2, and 30 from tuberculosis.

Toledo.—Month of February, 1906. Estimated population, 171,656. Total number of deaths 150, including diphtheria 5, enteric fever 2, whooping cough 1, and 17 from tuberculosis. (For months of January and March, 1906, see Public Health Reports, March 2 and April 27, 1906.)

Month of April, 1906. Total number of deaths 149, including diphtheria 3, enteric fever 5, measles 2, and 16 from tuberculosis.

Month of May, 1906. Total number of deaths 184, including diphtheria 1, enteric fever 5, measles 1, scarlet fever 1, whooping cough 1, and 21 from tuberculosis.

Month of June, 1906. Total number of deaths 134, including diphtheria 2, enteric fever 1, measles 2, and 16 from tuberculosis.

OREGON—Portland.—Month of June, 1906. Estimated population, 153,000. Total number of deaths 129, including diphtheria 1, scarlet fever 1, and 15 from tuberculosis.

TENNESSEE—Memphis.—Month of April, 1906. Estimated population, 140,000; white 76,000, colored 64,000. Total number of deaths 172; white 79, colored 93, including enteric fever 4, whooping cough 1, and 22 from tuberculosis.

WEST VIRGINIA—Wheeling.—Three months ended June 30, 1906. Census population, 38,878. Total number of deaths 144, including enteric fever 11, scarlet fever 3, whooping cough 1, and 19 from tuberculosis.

Smallpox in the United States as reported to the Surgeon-General, Public Health and Marine-Hospital Service, June 29 to August 3, 1906.

[For reports received from December 29, 1905, to June 29, 1906, see PUBLIC HEALTH REPORTS for June 29, 1906.]

[*Note.*—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

Place.	Date.	Cases.	Deaths.	Remarks.
California:				
General	May 1-June 30...		4	
Stockton	June 1-30.....	1		
Total for State		1	4	
Total for State, same period, 1905.		7		
Connecticut:				
Stamford	June 1-30.....	1		
Total for State		1		
Total for State, same period, 1905.				
Florida:				
Brevard County	June 24-30.....	1		
Columbia County.....	June 24-July 21.....	5		
Duvall County (Jacksonville included).	June 24-July 21.....	10		
Nassau County.....	July 15-21	1		
St. Johns County	June 24-30.....	1		
Total for State		18		
Total for State, same period, 1905.		1		